

All Databases PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Books

Search PubMed ☐ for ikb kinase

Limits Preview/Index **History** Clipboard Details

About Entrez

Text Version

Entrez PubMed

Overview
Help | FAQ
Tutorial
New/Noteworthy
E-Utilities

PubMed Services

Journals Database
MeSH Database
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
Special Queries
LinkOut
My NCBI (Cubby)

Related Resources

Order Documents
NLM Mobile
NLM Catalog
NLM Gateway
TOXNET
Consumer Health
Clinical Alerts
ClinicalTrials.gov
PubMed Central

- Search History will be lost after eight hours of inactivity.
- To combine searches use # before search number, e.g., #2 AND #6.
- Search numbers may not be continuous; all searches are represented.
- Click on query # to add to strategy

Search

Most Recent Queries

Time Result

#1 Search ikb kinase

15:54:17

37



[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)

Sep 9 2005 04:38:00



All Databases PubMed Nucleotide Protein Genome Structure OMIM PMC Journals B

Search PubMed for ikb kinase Go Clear Save S

Limits Preview/Index History Clipboard Details

Display Summary Show 20 Sort by Send to

About Entrez

Text Version

Entrez PubMed

Overview
Help | FAQ
Tutorial
New/Noteworthy
E-Utilities

PubMed Services

Journals Database
MeSH Database
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
Special Queries
LinkOut
My NCBI (Cubby)

Related Resources

Order Documents
NLM Mobile
NLM Catalog
NLM Gateway
TOXNET
Consumer Health
Clinical Alerts
ClinicalTrials.gov
PubMed Central

All: 37 Review: 4

Items 1 - 20 of 37

Page 1 of 2 Next

1: [Nardacci R, Antinori A, Larocca LM, Arena V, Amendola A, Perfettini JL, Kroemer G, Piacentini M.](#) Related Articles, Links

Characterization of Cell Death Pathways in Human Immunodeficiency Virus-Associated Encephalitis.
Am J Pathol. 2005 Sep;167(3):695-704.
PMID: 16127150 [PubMed - as supplied by publisher]

2: [Okazaki Y, Sawada T, Nagatani K, Komagata Y, Inoue T, Muto S, Itai A, Yamamoto K.](#) Related Articles, Links

Effect of nuclear factor-kappaB inhibition on rheumatoid fibroblast-like synoviocytes and collagen induced arthritis.
J Rheumatol. 2005 Aug;32(8):1440-7.
PMID: 16078317 [PubMed - in process]

3: [Sharma RK, Sodhi A, Batra HV.](#) Related Articles, Links

Involvement of c-Jun N-terminal kinase in rF1 mediated activation of murine peritoneal macrophages in vitro.
J Clin Immunol. 2005 May;25(3):215-23.
PMID: 15981086 [PubMed - in process]

4: [El-Mahmoudy A, Shimizu Y, Shiina T, Matsuyama H, El-Sayed M, Takewaki T.](#) Related Articles, Links









Successful abrogation by thymoquinone against induction of diabetes mellitus with streptozotocin via nitric oxide inhibitory mechanism.
Int Immunopharmacol. 2005 Jan;5(1):195-207.
PMID: 15589481 [PubMed - indexed for MEDLINE]


5: [Novitskiy G, Ravi R, Potter JJ, Rennie-Tankersley L, Wang L, Mezey E.](#) Related Articles, Links

Effects of acetaldehyde and TNF alpha on the inhibitory kappa B-alpha protein and nuclear factor kappa B activation in hepatic stellate cells.
Alcohol Alcohol. 2005 Mar-Apr;40(2):96-101. Epub 2004 Nov 18.
PMID: 15550448 [PubMed - indexed for MEDLINE]


6: [Frelin C, Imbert V, Griessinger E, Peyron AC, Rochet N, Philip P, Dageville C, Sirvent A, Hummelsberger M, Berard E, Dreano M, Sirvent N, Peyron JF.](#) Related Articles, Links

Targeting NF-kappaB activation via pharmacologic inhibition of IKK2-induced apoptosis of human acute myeloid leukemia cells.
Blood. 2005 Jan 15;105(2):804-11. Epub 2004 Sep 28.
PMID: 15454494 [PubMed - indexed for MEDLINE]


- ☐ **7:** [Johnsborg O, Godager LH, Nes IF.](#) Related Articles, Links
 Identification of a region involved in the pheromone receptor function of the histidine kinase PlnB.
Arch Microbiol. 2004 Dec;182(6):450-7. Epub 2004 Sep 23.
PMID: 15448983 [PubMed - indexed for MEDLINE]
- ☐ **8:** [Sweeney SE, Firestein GS.](#) Related Articles, Links
 Signal transduction in rheumatoid arthritis.
Curr Opin Rheumatol. 2004 May;16(3):231-7. Review.
PMID: 15103250 [PubMed - indexed for MEDLINE]
- ☐ **9:** [MacMaster JF, Dambach DM, Lee DB, Berry KK, Qiu Y, Zusi FC, Burke JR.](#) Related Articles, Links
 An inhibitor of IkappaB kinase, BMS-345541, blocks endothelial cell adhesion molecule expression and reduces the severity of dextran sulfate sodium-induced colitis in mice.
Inflamm Res. 2003 Dec;52(12):508-11. Epub 2003 Nov 13.
PMID: 14991079 [PubMed - indexed for MEDLINE]
- ☐ **10:** [Johnsborg O, Diep DB, Nes IF.](#) Related Articles, Links
 Structural analysis of the peptide pheromone receptor PlnB, a histidine protein kinase from Lactobacillus plantarum.
J Bacteriol. 2003 Dec;185(23):6913-20.
PMID: 14617655 [PubMed - indexed for MEDLINE]
- ☐ **11:** [Donadelli R, Zanchi C, Morigi M, Buelli S, Batani C, Tomasoni S, Corna D, Rottoli D, Benigni A, Abbate M, Remuzzi G, Zoja C.](#) Related Articles, Links
 Protein overload induces fractalkine upregulation in proximal tubular cells through nuclear factor kappaB- and p38 mitogen-activated protein kinase-dependent pathways.
J Am Soc Nephrol. 2003 Oct;14(10):2436-46.
PMID: 14514721 [PubMed - indexed for MEDLINE]
- ☐ **12:** [Moller C, Xiang Z, Nilsson G.](#) Related Articles, Links
 Activation of mast cells by immunoglobulin E-receptor cross-linkage, but not through adenosine receptors, induces A1 expression and promotes survival.
Clin Exp Allergy. 2003 Aug;33(8):1135-40.
PMID: 12911789 [PubMed - indexed for MEDLINE]
- ☐ **13:** [Shen F, Cheng GF.](#) Related Articles, Links
 [Progresses in IkB kinase and related signal transduction]
Sheng Li Ke Xue Jin Zhan. 2001 Jan;32(1):80-2. Review. Chinese. No abstract available.
PMID: 12545787 [PubMed - indexed for MEDLINE]
- ☐ **14:** [Hu L, Shi Y, Hsu JH, Gera J, Van Ness B, Lichtenstein A.](#) Related Articles, Links
 Downstream effectors of oncogenic ras in multiple myeloma cells.
Blood. 2003 Apr 15;101(8):3126-35. Epub 2002 Dec 19.
PMID: 12515720 [PubMed - indexed for MEDLINE]
- ☐ **15:** [Bardaro T, Falco G, Sparago A, Mercadante V, Gean Molins E, Tarantino E, Ursini MV, D'Urso M.](#) Related Articles, Links
Two cases of misinterpretation of molecular results in incontinencia

 pigmenti, and a PCR-based method to discriminate NEMO/IKKgamma dene deletion.
Hum Mutat. 2003 Jan;21(1):8-11.
PMID: 12497627 [PubMed - indexed for MEDLINE]


☐ **16:** [Kazi A, Smith DM, Daniel K, Zhong S, Gupta P, Bosley ME, Dou QP.](#) [Related Articles, Links](#)

 Potential molecular targets of tea polyphenols in human tumor cells: significance in cancer prevention.
In Vivo. 2002 Nov-Dec;16(6):397-403. Review.
PMID: 12494882 [PubMed - indexed for MEDLINE]


☐ **17:** [Clarkson R.](#) [Related Articles, Links](#)

 Ikb kinase alpha: a link in the chain of the mammary cycle.
Breast Cancer Res. 2002;4(5):173-5. Epub 2002 Jul 5.
PMID: 12223118 [PubMed - indexed for MEDLINE]


☐ **18:** [Herter JR, Fuchs SY.](#) [Related Articles, Links](#)

 Recognition of substrate and Skp1 by the Homologue of Slimb (HOS) ubiquitin ligase receptor D role of the F-box.
Med Sci Monit. 2002 Aug;8(8):BR283-8.
PMID: 12165731 [PubMed - indexed for MEDLINE]

☐ **19:** [Itani SI, Ruderman NB, Schmieder F, Boden G.](#) [Related Articles, Links](#)

 Lipid-induced insulin resistance in human muscle is associated with changes in diacylglycerol, protein kinase C, and IkappaB-alpha.
Diabetes. 2002 Jul;51(7):2005-11.
PMID: 12086926 [PubMed - indexed for MEDLINE]

☐ **20:** [Bremner P, Heinrich M.](#) [Related Articles, Links](#)

 Natural products as targeted modulators of the nuclear factor-kappaB pathway.
J Pharm Pharmacol. 2002 Apr;54(4):453-72. Review.
PMID: 11999122 [PubMed - indexed for MEDLINE]



Items 1 - 20 of 37

Page 1 of 2 Next

Display ☐ Show ☐ Sort by ☐ Send to

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)

Sep 9 2005 04:38:00

[All Databases](#)[PubMed](#)[Nucleotide](#)[Protein](#)[Genome](#)[Structure](#)[OMIM](#)[PMC](#)[Journals](#)[B](#)Search for [Limits](#)[Preview/Index](#)[History](#)[Clipboard](#)[Details](#)

Display

Show

Sort by

Send to

[About Entrez](#)[Text Version](#)

All: 37

Review: 4



Items 21 - 37 of 37

Previous

Page

of 2

Entrez PubMed[Overview](#)[Help | FAQ](#)[Tutorial](#)[New/Noteworthy](#)[E-Utilities](#)**PubMed Services**[Journals Database](#)[MeSH Database](#)[Single Citation Matcher](#)[Batch Citation Matcher](#)[Clinical Queries](#)[Special Queries](#)[LinkOut](#)[My NCBI \(Cubby\)](#)**Related Resources**[Order Documents](#)[NLM Mobile](#)[NLM Catalog](#)[NLM Gateway](#)[TOXNET](#)[Consumer Health](#)[Clinical Alerts](#)[ClinicalTrials.gov](#)[PubMed Central](#)

- ☐ **21:** [Schliess F, Gorg B, Fischer R, Desjardins P, Bidmon HJ, Herrmann A, Butterworth RF, Zilles K, Haussinger D.](#) [Related Articles, Links](#)



Ammonia induces MK-801-sensitive nitration and phosphorylation of protein tyrosine residues in rat astrocytes.

FASEB J. 2002 May;16(7):739-41. Epub 2002 Mar 26.

PMID: 11923223 [PubMed - indexed for MEDLINE]

- ☐ **22:** [Diep DB, Johnsborg O, Risoen PA, Nes IF.](#) [Related Articles, Links](#)



Evidence for dual functionality of the operon *plnABCD* in the regulation of bacteriocin production in *Lactobacillus plantarum*.

Mol Microbiol. 2001 Aug;41(3):633-44.

PMID: 11532131 [PubMed - indexed for MEDLINE]

- ☐ **23:** [Pillonel C.](#) [Related Articles, Links](#)



Identification of a 2,6-dichloroisonicotinic-acid-sensitive protein kinase from tobacco by affinity chromatography on benzothiadiazole-sepharose and NIM-metal chelate adsorbent.

Pest Manag Sci. 2001 Aug;57(8):676-82.

PMID: 11517720 [PubMed - indexed for MEDLINE]

- ☐ **24:** [Pujol N, Link EM, Liu LX, Kurz CL, Alloing G, Tan MW, Ray KP, Solari R, Johnson CD, Ewbank JJ.](#) [Related Articles, Links](#)



A reverse genetic analysis of components of the Toll signaling pathway in *Caenorhabditis elegans*.

Curr Biol. 2001 Jun 5;11(11):809-21.

PMID: 11516642 [PubMed - indexed for MEDLINE]

- ☐ **25:** [Olsen OA.](#) [Related Articles, Links](#)



ENDOSPERM DEVELOPMENT: Cellularization and Cell Fate Specification.

Annu Rev Plant Physiol Plant Mol Biol. 2001 Jun;52:233-267.

PMID: 11337398 [PubMed - as supplied by publisher]

- ☐ **26:** [Kim JM, Oh YK, Kim YJ, Oh HB, Cho YJ.](#) [Related Articles, Links](#)



Polarized secretion of CXC chemokines by human intestinal epithelial cells in response to *Bacteroides fragilis* enterotoxin: NF-kappa B plays a major role in the regulation of IL-8 expression.

Clin Exp Immunol. 2001 Mar;123(3):421-7.

PMID: 11298129 [PubMed - indexed for MEDLINE]

[Pan MH, Lin-Shiau SY, Ho CT, Lin JH, Lin JK.](#)

[Related Articles, Links](#)

27:



Suppression of lipopolysaccharide-induced nuclear factor-kappaB activity by theaflavin-3,3'-digallate from black tea and other polyphenols through down-regulation of IkappaB kinase activity in macrophages.

Biochem Pharmacol. 2000 Feb 15;59(4):357-67.

PMID: 10644043 [PubMed - indexed for MEDLINE]

28: [Chu WM, Ostertag D, Li ZW, Chang L, Chen Y, Hu Y, Williams B, Perrault J, Karin M.](#) Related Articles, Links



JNK2 and IKKbeta are required for activating the innate response to viral infection.

Immunity. 1999 Dec;11(6):721-31.

PMID: 10626894 [PubMed - indexed for MEDLINE]

29: [Liang YC, Huang YT, Tsai SH, Lin-Shiau SY, Chen CF, Lin JK.](#) Related Articles, Links



Suppression of inducible cyclooxygenase and inducible nitric oxide synthase by apigenin and related flavonoids in mouse macrophages.

Carcinogenesis. 1999 Oct;20(10):1945-52.

PMID: 10506109 [PubMed - indexed for MEDLINE]

30: [Ozes ON, Mayo LD, Gustin JA, Pfeffer SR, Pfeffer LM, Donner DB.](#) Related Articles, Links



NF-kappaB activation by tumour necrosis factor requires the Akt serine-threonine kinase.

Nature. 1999 Sep 2;401(6748):82-5.

PMID: 10485710 [PubMed - indexed for MEDLINE]

31: [Srinivasula SM, Ahmad M, Lin JH, Poyet JL, Fernandes-Alnemri T, Tschlis PN, Alnemri ES.](#) Related Articles, Links



CLAP, a novel caspase recruitment domain-containing protein in the tumor necrosis factor receptor pathway, regulates NF-kappaB activation and apoptosis.

J Biol Chem. 1999 Jun 18;274(25):17946-54.

PMID: 10364242 [PubMed - indexed for MEDLINE]

32: [Cohen L, Henzel WJ, Baeuerle PA.](#) Related Articles, Links



IKAP is a scaffold protein of the IkappaB kinase complex.

Nature. 1998 Sep 17;395(6699):292-6.

PMID: 9751059 [PubMed - indexed for MEDLINE]

33: [La Porta CA, Comolli R.](#) Related Articles, Links



PKC-dependent modulation of IkB alpha-NFkB pathway in low metastatic B16F1 murine melanoma cells and in highly metastatic BL6 cells.

Anticancer Res. 1998 Jul-Aug;18(4A):2591-7.

PMID: 9703914 [PubMed - indexed for MEDLINE]

34: [Basu S, Rosenzweig KR, Youmell M, Price BD.](#) Related Articles, Links



The DNA-dependent protein kinase participates in the activation of NF kappa B following DNA damage.

Biochem Biophys Res Commun. 1998 Jun 9;247(1):79-83.

PMID: 9636658 [PubMed - indexed for MEDLINE]

35: [Steffan NM, Bren GD, Frantz B, Tocci MJ, O'Neill EA, Paya CV.](#) Related Articles, Links



Regulation of I κ B alpha phosphorylation by PKC- and Ca(2+)-dependent signal transduction pathways.

J Immunol. 1995 Nov 15;155(10):4685-91.

PMID: 7594468 [PubMed - indexed for MEDLINE]

☐ **36:** [Doppler C, Schalasta G, Amtmann E, Sauer G.](#)

[Related Articles, Links](#)



Binding of NF- κ B to the HIV-1 LTR is not sufficient to induce HIV-1 LTR activity.

AIDS Res Hum Retroviruses. 1992 Feb;8(2):245-52.

PMID: 1540410 [PubMed - indexed for MEDLINE]

☐ **37:** [Novak U, Cocks BG, Hamilton JA.](#)

[Related Articles, Links](#)



A labile repressor acts through the NF κ B-like binding sites of the human urokinase gene.

Nucleic Acids Res. 1991 Jun 25;19(12):3389-93.

PMID: 1905804 [PubMed - indexed for MEDLINE]

Items 21 - 37 of 37

[Previous](#)

Page

2

of 2

Display

Summary

Show

20

Sort by

Send to

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)

Sep 9 2005 04:38:00



National
Library
of Medicine



My NC
[Sign In] [Regis]

All Databases

PubMed

Nucleotide

Protein

Genome

Structure

OMIM

PMC

Journals

Book

Search

PubMed

for

Go

Clear

Limits

Preview/Index

History

Clipboard

Details

Display

Abstract

Show

20

Sort by

Send to

About Entrez

Text Version

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

Special Queries

LinkOut

My NCBI (Cubby)

Related Resources

Order Documents

NLM Mobile

NLM Catalog

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

☐ 1: Nature. 1998 Sep 17;395(6699):292-6.

Related Articles, Links

Comment in:

- Nature. 1998 Sep 17;395(6699):225-6.

nature

IKAP is a scaffold protein of the IkappaB kinase complex.

Cohen L, Henzel WJ, Baeuerle PA.

Tularik Inc., South San Francisco, California 94080, USA.

The transcription factor NF-kappaB coordinates the activation of numerous genes in response to pathogens and pro-inflammatory cytokines, and is, therefore, vital in the development of acute and chronic inflammatory diseases. NF-kappaB is activated by phosphorylation of its inhibitory subunit, IkappaB-alpha, on serine residues 32 and 36 by cytokine-activated IKB kinases (IKKs); this phosphorylation precedes rapid degradation of IkappaB. IKK-alpha and IKK-beta isozymes are found in large complexes of relative molecular mass 700,000-900,000 (M(r) 70K-90K), but little is known about other components that organize and regulate these complexes. IKK-alpha was independently discovered as a NF-kappaB-inducing kinase (NIK)-associated protein in a yeast two-hybrid screen, and IKK-beta was also identified by homology screening. It is, however, unknown whether NIK is part of the IKK complex. Here we isolate large, interleukin-1-inducible IKK complexes that contain NIK, IKK-alpha, IKK-beta, IkappaB-alpha, NF-kappaB/RelA and a protein of M(r) 150K. This latter component is a new protein, termed IKK-complex-associated protein (IKAP), which can bind NIK and IKKs and assemble them into an active kinase complex. We show that IKAP is a scaffold protein and a regulator for three different kinases involved in pro-inflammatory cytokine signalling.

PMID: 9751059 [PubMed - indexed for MEDLINE]

Display

Abstract

Show

20

Sort by

Send to

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)